

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	173	313/403.ccls. and ((shadow adj mask) same (apertures holes slits))	US-PGPUB; USPAT	OR	OFF	2004/01/26 12:08
S2	2	("4859901" "5928047").PN.	USPAT	OR	OFF	2003/02/25 16:24
S3	1	"5635320".PN.	USPAT	OR	OFF	2003/02/25 16:43
S4	3	"5856725".URPN.	USPAT	OR	OFF	2003/02/25 16:43
S5	5584	(shadow adj mask) (tension adj mask) same apertures near thickness	US-PGPUB; USPAT	OR	OFF	2003/02/25 16:51
S6	5602	(shadow adj mask) (tension adj mask) same thickness	US-PGPUB; USPAT	OR	OFF	2003/02/25 16:51
S7	1080	((shadow adj mask) (tension adj mask)) same thickness	US-PGPUB; USPAT	OR	OFF	2003/02/25 16:52
S8	49	445/47.ccls. and ((shadow adj mask) with thickness)	US-PGPUB; USPAT	OR	OFF	2003/02/25 17:05
S9	415	(shadow adj mask) with apertures	EPO; JPO; DERWENT	OR	OFF	2003/02/25 17:23
S10	8	((shadow adj mask) with apertures) same strength	EPO; JPO; DERWENT	OR	OFF	2003/02/25 17:26
S11	6	"296133"	EPO; JPO; DERWENT	OR	OFF	2003/02/25 17:26
S12	13	komatsu.in. and (shadow adj mask)	EPO; JPO; DERWENT	OR	OFF	2003/02/25 17:27
S13	149	313/403.ccls. and ((shadow adj mask) same apertures)	US-PGPUB; USPAT	OR	OFF	2003/02/25 17:52
S14	2	("4859901" "5928047").PN.	USPAT	OR	OFF	2003/02/25 17:53
S15	1664	((shadow adj mask) or (tension adj mask)) and strength	US-PGPUB; USPAT	OR	OFF	2003/02/26 10:05
S16	25	((shadow adj mask) or (tension adj mask)) and (resistance near impact)	US-PGPUB; USPAT	OR	OFF	2003/02/26 10:08
S17	259	((shadow adj mask) or (tension adj mask)) and (thickness near (mm or mil))	US-PGPUB; USPAT	OR	OFF	2003/02/26 10:12
S18	913	((shadow adj mask) or (tension adj mask)) and (thickness with (mm or mil))	US-PGPUB; USPAT	OR	OFF	2003/02/26 10:13
S19	3	((shadow adj mask) or (tension adj mask)) near (thickness with (mm or mil))	US-PGPUB; USPAT	OR	OFF	2003/02/26 10:13
S20	258	((shadow adj mask) or (tension adj mask)) same (thickness with (mm or mil))	US-PGPUB; USPAT	OR	OFF	2003/02/26 10:16

S21	2	("4859901" "5928047").PN.	USPAT	OR	OFF	2003/02/26 10:24
S22	1	"5856725".pn.	US-PGPUB; USPAT	OR	OFF	2004/01/09 15:53
S23	1	"5635320".PN.	USPAT	OR	OFF	2004/01/09 15:53
S24	392	313/402.ccls. and ((shadow adj mask) same apertures)	US-PGPUB; USPAT	OR	OFF	2004/01/14 15:06
S25	12	((shadow adj mask) same ((apertures holes slits) with taper\$4)) and "313"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/01/26 12:21
S26	3	"4131822".URPN.	USPAT	OR	OFF	2004/01/26 12:11
S27	4	((shadow adj mask) same ((apertures holes slits) with taper\$4))	EPO; JPO; DERWENT	OR	OFF	2004/01/26 12:21
S28	6	"5830373"	US-PGPUB; USPAT	OR	OFF	2004/09/20 14:28
S29	5	("3179543" "3787939" "3929532" "4168450" "4771213").PN.	USPAT	OR	OFF	2004/09/20 14:27
S30	27	(shadow adj mask) same thickness same ((aperture hole) near diameter)	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:22
S31	10	("4475056" "4743795" "5592044" "5730887" "5856725" "5917273" "5990607" "6043595" "6072270" "6114803").PN.	USPAT	OR	OFF	2004/09/20 14:49
S32	9	"5856725".URPN.	USPAT	OR	OFF	2004/09/20 14:56
S33	4	("4724012" "5308723" "5605582" "6165640" "2002/0006350" "2002/0015655" "2002/0033207").PN.	USPAT	OR	OFF	2004/09/20 15:09
S34	194	313/402.ccls. and (thickness and diameter)	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:35
S35	13	313/402.ccls. and (thickness and (diameter near (apertures holes)))	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:39
S36	6	"3707640"	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:44
S37	7	"5730887"	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:46
S38	4	"5635320"	US-PGPUB; USPAT	OR	OFF	2004/09/20 15:46
S39	2	("5526950" "5635320").PN.	USPAT	OR	OFF	2004/09/20 15:58
S40	6	"5526950".URPN.	USPAT	OR	OFF	2004/09/20 16:02
S41	1	"5635320".PN.	USPAT	OR	OFF	2004/09/20 16:03

S42	9	"5856725".URPN.	USPAT	OR	OFF	2004/09/20 16:03
S43	0	(shadow adj3 mask) same (taper\$3 near (width with hole))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 12:06
S44	0	(shadow adj3 mask) and (taper\$3 near ridge near width)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 12:07
S45	18513	(shadow adj3 mask)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 12:07
S46	237	(shadow adj3 mask) same taper\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 12:09
S47	178	((shadow adj3 mask) same taper\$4) not @ad>"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 12:09
S48	3	("4131822").URPN.	USPAT	OR	OFF	2005/03/08 12:51
S49	279	313/403.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/08 12:52
S50	102	313/402,403.ccls. and (taper\$4 ridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:04
S51	90	(313/402,403.ccls. and (taper\$4 ridge)) not @ad>"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:10
S52	777	((shadow adj mask) (tension adj mask) (color adj selection adj electrode)) and (taper\$4 ridge)) not @ad>"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:11
S53	226	((shadow adj mask) (tension adj mask) (color adj selection adj electrode)) same (taper\$4 ridge)) not @ad>"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:11
S54	8	((shadow adj mask) (tension adj mask) (color adj selection adj electrode)) same (taper\$4 ridge) same circular) not @ad>"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:35
S55	582	((shadow adj mask) (tension adj mask) (color adj selection adj electrode)) same (circular)) not @ad>"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:36

S56	16	((shadow adj mask) (tension adj mask) (color adj selection adj electrode)) same ((circular)near diameter)) not @ad>"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:36
S57	16	((shadow adj mask) (tension adj mask) (color adj selection adj electrode)) same ((circular) near diameter)) not @ad>"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:37
S58	137	roy-sikha.xa.	US-PGPUB; USPAT	OR	OFF	2005/03/08 13:38
S59	10	("4475056" "4743795" "5592044" "5730887" "5856725" "5917273" "5990607" "6043595" "6072270" "6114803").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/08 13:51
S60	93	((shadow adj mask) (tension adj mask) (color adj selection adj electrode)) same ((holes apertures slots) near diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:54
S61	75	((shadow adj mask) (tension adj mask) (color adj selection adj electrode)) same ((holes apertures slots) near diameter)) not @ad>"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/08 13:55
S62	2	("3804601").URPN.	USPAT	OR	OFF	2005/03/08 14:02
S63	115	(shadow adj2 mask) same ((holes slots openings apertures slits) near diameter)	US-PGPUB; USPAT	OR	OFF	2005/03/10 09:40
S64	80	((shadow adj2 mask) same ((holes slots openings apertures slits) near diameter)) not @ad>"20010926"	US-PGPUB; USPAT	OR	OFF	2005/03/10 09:58
S65	9	((shadow adj2 mask) same ((holes slots openings apertures slits) near (taper\$3 ridge))) not @ad>"20010926"	US-PGPUB; USPAT	OR	OFF	2005/03/10 09:58
S66	1	((shadow adj2 mask) same ((holes slots openings apertures slits) near (taper\$3 ridge)))	EPO; JPO; DERWENT	OR	OFF	2005/03/10 09:58
S67	118	((shadow adj2 mask) same ((holes slots openings apertures slits) near (diameter ridge taper)))	US-PGPUB; USPAT	OR	OFF	2005/03/10 09:59
S68	120	((shadow adj2 mask) same ((holes slots openings apertures slits) near (diameter ridge taper)))	EPO; JPO; DERWENT	OR	ON	2005/03/10 11:16
S69	45	((shadow adj2 mask) same ((holes slots openings apertures slits) near (upper lower grade cone larger)))	EPO; JPO; DERWENT	OR	ON	2005/03/10 11:17

S70	17	(shadow adj2 mask) same ((holes slots apertures openings slits throughholes) near taper\$3).	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/10 11:37
S71	8	216/12,25,39,41,56.ccls. and ((shadow adj mask) same (taper\$4))	US-PGPUB; USPAT	OR	OFF	2005/03/10 11:45
S72	76	216/12,25,39,41,56.ccls. and ((shadow adj mask) same (openings holes slots slits apertures))	US-PGPUB; USPAT	OR	OFF	2005/03/10 11:45
S73	6	("5830373").URPN.	USPAT	OR	OFF	2005/03/10 11:49
S74	6	("3179543" "3787939" "3929532" "4168450" "4771213").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/10 11:58
S75	7	313/402,403.ccls. and ((shadow adj mask) same ((holes slots slits openings apertures) near taper\$3))	US-PGPUB; USPAT	OR	OFF	2005/03/10 11:59
S76	8	313/402,403.ccls. and ((shadow adj mask) same ((holes slots slits openings apertures throughholes) near taper\$3))	US-PGPUB; USPAT	OR	OFF	2005/03/10 11:59